

To: McCoy, Erin[McCoy.Erin@epa.gov]
Cc: Williams, Mike[Mike.Williams@tetrattech.com]; Homer, David[David.Homer@tetrattech.com]
From: Bollinger, Karen
Sent: Fri 2/3/2017 3:41:25 PM
Subject: FW: HHRA - Dico
Des Moines TCE Draft Final HHRA Addendum.pdf

Ms. McCoy,

Please find attached a .pdf copy of the Final HHRA Addendum report with the corrected Page 2-5. The hard copy of the new Page 2-5 and a new CD was sent to you last week.

Please let me know if you have any questions.

Thanks,

Karen

Karen Bollinger | Contract Administrator

415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1743 | Main: 816.412.1741 | Fax: 816.410.1748

karen.bollinger@tetrattech.com

Tetra Tech | **Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Williams, Mike
Sent: Friday, February 03, 2017 9:37 AM
To: Bollinger, Karen <Karen.Bollinger@tetrattech.com>
Subject: FW: HHRA - Dico

Mike Williams | Sr. Project Manager/Hydrogeologist

415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1767 | Main: 816.412.1741 | Fax: 816.410.1748 | Mobile: 913.689.9367

Mike.Williams@tetrattech.com

Tetra Tech | **Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information.
Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful.
If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Bollinger, Karen
Sent: Thursday, January 26, 2017 11:30 AM
To: Williams, Mike <Mike.Williams@tetrattech.com>; Homer, David <David.Homer@tetrattech.com>
Subject: RE: HHRA - Dico

Ok, will do.

Karen Bollinger | Contract Administrator

415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1743 | Main: 816.412.1741 | Fax: 816.410.1748

karen.bollinger@tetrattech.com

Tetra Tech | **Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information.
Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful.
If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Williams, Mike
Sent: Thursday, January 26, 2017 11:26 AM
To: Homer, David <David.Homer@tetrattech.com>; Bollinger, Karen <Karen.Bollinger@tetrattech.com>
Subject: RE: HHRA - Dico

Thanks.

Karen - Please go ahead and make that change, update the pdf and send over a change page.

Mike Williams | Sr. Project Manager/Hydrogeologist

415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1767 | Main: 816.412.1741 | Fax: 816.410.1748 | Mobile: 913.689.9367

Mike.Williams@tetrattech.com

Tetra Tech | **Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Homer, David

Sent: Thursday, January 26, 2017 11:25 AM

To: Williams, Mike <Mike.Williams@tetrattech.com>; Bollinger, Karen <Karen.Bollinger@tetrattech.com>

Subject: RE: HHRA - Dico

I believe that is correct.

David Homer, PhD | **Senior Environmental Scientist**

Tetra Tech Inc.
Phone: 816.412.1762 Cell: 913.645.0453
Fax: 816.410.1748



Think Green - Not every email needs to be printed

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.



From: Williams, Mike
Sent: Thursday, January 26, 2017 11:24 AM
To: Homer, David <David.Homer@tetrattech.com>; Bollinger, Karen <Karen.Bollinger@tetrattech.com>
Subject: FW: HHRA - Dico

David –

Is that correct? If so, Karen can you make that change?

Mike

Mike Williams | Sr. Project Manager/Hydrogeologist

415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1767 | Main: 816.412.1741 | Fax: 816.410.1748 | Mobile: 913.689.9367

Mike.Williams@tetrattech.com

Tetra Tech | Complex World, Clear Solutions™

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: McCoy, Erin [<mailto:McCoy.Erin@epa.gov>]
Sent: Monday, January 23, 2017 3:13 PM
To: Williams, Mike <Mike.Williams@tetrattech.com>
Cc: Dorsey, Debra <Dorsey.Debra@epa.gov>
Subject: HHRA - Dico

Mike, EPA has reviewed the HHRA and approves the document with one revision (below). Please modify the sentence and send the correct page to EPA so that we can replace it and finalize the document. Please let me know if you have any questions. Thanks!

Section 2.2.1, page 2-5. In the third sentence, shouldn't the text read "It was NOT the objective

of this investigation to resample soils outside of the building footprints...”?



Erin McCoy, P.G. | Remedial Project Manager

EPA Region 7 | Superfund Division | Superfund Remediation Branch

11201 Renner Blvd | Lenexa, KS 66219

Phone: 913.551.7977

mccoy.erin@epa.gov | www.epa.gov